



Enclosure

RBH ENCL3/ENCL3-PS

Robust enclosure to house a variety
of RBH controllers and great ease of installation

www.rbh-access.com

RBH ENCL3 / ENCL3-PS

ENCL1 is a robust enclosure designed to house a variety of RBH controllers.

It features convenient removable cover mounted on heavy duty hinges and allowing 170° swing and lock.

Installation is made convenient by a number of conduit access points on all sides of the enclosure.



Features:

- Removable Door
- Lock With 2 Keys
- Tamper Switch
- Knock outs for 3/4" conduit
- PS-1224 Mount
- Ventilation Slats

Works With:

Reader Controllers

- RC2M

Input/Output Controller

- IOC16M

Universal Controllers

- UNC100-xxx-M / UNC500-xxx-M

RBH-ENCL3

Includes:

- Lock with 2 Keys

RBH-ENCL3-PS

Includes:

- Lock with 2 Keys
- PS-1224 Power Supply
 - In: 16.5 VAC 40 VA
 - Out: 12 VDC @ 2.5A

Specifications

Housing	Metal housing with 3 mounting holes
---------	-------------------------------------

Dimensions:

Width	12" (30,5 cm)
-------	---------------

Height	14" (35,5 cm)
--------	---------------

Depth	3 1/4" (8 cm)
-------	---------------

Conduit Access:	10
-----------------	----

Top	3 of 3/4 knockouts
-----	--------------------

Bottom	3 of 3/4 knockouts
--------	--------------------

Left	2 of 3/4 knockouts
------	--------------------

Right	2 of 3/4 knockouts
-------	--------------------

Tamper Switch	N.O. 2A max
---------------	-------------

Weight	19 lbs (8.6 Kg)
--------	-----------------



ENCL3 open door



ENCL3-PS open door

How to order:

RBH-ENCL3: (Enclosure only)


RBH-ENCL3-PS: (Enclosure with power supply)



RBH Access Technologies, Inc.
2 Automatic Road, Suite 108
Brampton ON L6S 6K8, Canada

1-905-790-1515
1-905-790-3680

info@rbh-access.com



www.rbh-access.com