



Enclosure

# RBH ENCL3/ENCL3-PS

Robust enclosure to house a variety of RBH controllers and great ease of installation

# RBH ENCL3 / ENCL3-PS

ENCL3 is a robust enclosure designed to house a variety of RBH controllers.

It features convenient removable cover mounted on heavy duty hinges and allowing 170° swing and lock.

Installation is made convenient by a number of conduit access points on all sides of the enclosure.



## Features:

- Removable Door
- Lock With 2 Keys
- Tamper Switch Mount
- Knock outs for 3/4" conduit
- PS-1224 Mount
- Ventilation Slats

**Enclosures are compatible with the following controllers:**

UNC100, UNC-500, RC2M, IOC16M

## Specifications

Housing	Metal housing with 3 mounting holes
Dimensions:	
Width	12" (30,5 cm)
Height	14" (35,5 cm)
Depth	3 1/4" (8 cm)
Conduit Access:	
Top	3 of 3/4 knockouts
Bottom	3 of 3/4 knockouts
Left	2 of 3/4 knockouts
Right	2 of 3/4 knockouts
Tamper Switch	N.O. 2A max
Weight	19 lbs (8.6 Kg)



ENCL3 open door



ENCL3-PS open door

## RBH-ENCL3

Includes:

- Lock with 2 Keys

## RBH-ENCL3-PS

Includes:

- Lock with 2 Keys
- PS-1224 Power Supply
  - In: 16.5 VAC 40 VA
  - Out: 12 VDC @ 2.5A

## How to order:

RBH-ENCL3: (Enclosure only)


RBH-ENCL3-PS: (Enclosure with power supply)



RBH Access Technologies, Inc.  
2 Automatic Road, Suite 108  
Brampton ON L6S 6K8, Canada

1-905-790-1515  
1-905-790-3680

[info@rbh-access.com](mailto:info@rbh-access.com)



[www.rbh-access.com](http://www.rbh-access.com)