



RBH ATOM is a Standalone IP based controller. It can either work standalone without connecting to the PC or with a web browser using RJ-45 port.

### Features:

- Standalone Operation
- Administered via Built-in Keypad or Web Browser
- 5,000 Users
- Secure Side Control Unit - High Security
- Read In Read Out
- Card, Pin or Card + Pin Configurable by User
- 30,000 Event Buffer
- 2 Relay Outputs (Lock & Sounder)
- 2 Inputs (RTE & Door Contact)
- User Friendly LCD Display
- Flash Upgradeable Firmware

### 2 Kits to Choose From:

#### The RBH-ATOM-FR-360N-05 Includes:

- (1) RBH ATOM Single Door Controller
- (1) RBH-FR-360N Reader
- (5) AW-PROXLINC-KT Access Tags

#### The RBH-ATOM-2400-05 Includes:

- (1) RBH ATOM Single Door Controller
- (1) AW-SR-2400-GR-MP Reader
- (5) AW-PROXLINC-KT Access Tags

## RBH-ATOM-Kits Specifications

Verification Option	Card/Pin/Card+Pin
Registration Time	Less than 3.0 seconds/user
Capacity	Card capacity is 5,000 users
Log Data	30,000 events
Relay Output	2 (Lock and Siren Outputs) 1 amp ~ 24 V DC
Communication Interface	TCP / IP → PC
Speed	Ethernet 10/100M, Auto cross over
Keypad	10 numeric keys (0~9) + (# *) & 1 Door Bell
Display	128 x 64 Dots LCD
Operation Temperature	0°~65°
Operation Humidity	5% ~ 95% RH
Power	DC 9~24V, 1A (sold separately)
Dimensions	130 x 145 x 55 mm
Weight	400 g

\*Specifications are subject to change without notice.

