

RBH credentials are available in a wide range of formats other than our standard RBH50 bit format to meet existing security applications.

ACCESS CARDS AND TAGS



RBH-ABA-CS-50

RBH ABA clamshell cards are a more affordable alternative to standard proximity cards. The thicker design makes them ideal for use in active industries. The CR80 proximity card can accept direct print adhesive backed labels for use as a Photo ID card.

- Price competitive with all other card Technologies.
- · Slot punch vertical orientation
- Universal compatibility with all RBH proximity card readers
- Laser printed numbers for easy identification and access control.
- Supports RBH formats with over 100 billion codes
- A PVC overlay allows for on-site photo ID using most direct image printers.
- Thin enough to carry in a wallet or purse. 85.6 x 54 x 1.8mm thick

How to order: RBH-ABA-CS-50



RBH-ABA-ISO-50

The ISO Prox Card offers proximity card technology with photo identification capability on a single access control card. It is ISO 7810 compliant, with a nominal thickness of .030". The card features a graphics quality surface optimized for Photo ID printing, and is available in standard PVC construction for more demanding high wear and tear environments.

- Universal compatibility with all RBH proximity card readers.
- Laser printed numbers for easy identification and access contro
- Supports RBH formats with over 100 billion codes.
- Compliance: ISO/IEC 7810, ISO/IEC 14443
- Slot punch indicators: DOT guides for horizontal and vertical

How to order: RBH-ABA-ISO-50



RBH-ABA-KT-50

These small plastic key fobs are a convenient alternative to cards. Small in size, these fobs can be attached to a key ring or badge reel for fast, easy access. The key tags are built to withstand harsh operating environments or handling. Each tag has a issuing CR80 card with a satin finish to allow the administrator to write (with a pen) the date and details of the key fob holder, if needed. The issuing CR80 card conveniently has the key fob ID number laser printed on it to enable the administrator a convenient means of record keeping.

- Suited for use in access control applications where a Photo ID is not required
- Small enough to fit on a key ring
- Universal compatibility with RBH proximity card readers.
- Provides an external number for easy identification and control.
- Can be placed on a key ring for convenient entry.
- RBH format with over 100 billion codes

How to order: RBH-ABA-KT-50



RBH Access Technologies, Inc. 2 Automatic Road, Suite 108 Brampton ON L6S 6K8, Canada

> 1-905-790-1515 1-905-790-3680

info@rbh-access.com





