

blueLINE Fingerprint Reader **RBH-BFR-150-DNB series**

RBH fingerprint + MiFARE DESFire card reader now compatible with RBH's NFC & Bluetooth mobile credentials

RBH-BFR-150-DNB SERIES

RBH's best-selling BFR-150 fingerprint reader has been updated to read RBH's award winning UHSC NFC & Bluetooth mobile credentials.

Users will benefit from its unparalleled performance, ease-of-use, precision and fast matching speed and the trusted and innovative technology of blueLINE.



OSDP V1&V2
Compact design

+9.500 fingerprint templates
Fast matching speed

NFC & Bluetooth (BLE) mobile credential compatible

Fully integrated with





With the technology of



Verification option Fingerprint / Fingerprint + Card / Card 1:1 / 1:N Verification mode Verification time Less Than 2.0 Seconds (1:1 Verification Mode) Registration Time Less Than 3.0 Seconds Templates Up to 9,500 Technology DESFire (EV1 & EV2) / Bluetooth / NFC SECTOR / CSN for MiFARE Classic / Plus / Integrated Reader DESEire EV1/2/3 (RBH-BER-150-D for sector & RBH-BFR-150-S for CSN) CSN: Keytag: 4" (100mm) - Card: 6" (150mm) Sector: Keytag: 1.5" (38mm) - Card: 3" (76mm) Read Range NFC: Keytag: 1.5" (38mm) - Card: 3" (76mm) Bluetooth: 30ft (9.14mt) PC to Reader / Panel to Ethernet TCP / IP Cable / Wiegand (6 Cond. Reader Shielded, Stranded, 18-22 AWG) Communication data Communication method TCP/IP, Weigand, OSDP ver. 1 & 2 Communication environment LAN / WAN Ethernet Interface 10/100M Base-T, Auto Crossover Wiegand Out 1 Single Tone Buzzer Anti-Tampering switch Yes Electrical / Physical information Operation voltage DC 9~24 V, 1A Operation temperature 0°C to 55°C (32°F to 131°F) 5% - 95% RH Operation humidity Rating IP-54 160 x 57 x 40 mm - (6.2 x 2.2 x 1.5 in) Dimensions Weight 0.3 lb (180 gr) Certifications FC ((

Specifications

*Specifications are subject to change without notice.

Order: RBH-BFR-150-D for sector RBH-BFR-150-S for CSN



RBH Access Technologies, Inc. 2 Automatic Road, Suite 108 Brampton ON L6S 6K8, Canada

> 1-905-790-1515 1-905-790-3680

info@rbh-access.com



