

www.rbh-access.com

BFR-USB

Experience rapid and secure authentication with our advanced Fingerprint Reader. Featuring fast matching speed, a high-speed USB 2.0 interface, and support for multiple devices, our reader is equipped with a new and improved optical sensor, capturing intricate details with its 500dpi resolution. Elevate your security measures with cutting-edge biometric technology.



Fast Matching	Speed
---------------	-------

USB 2.0 interface

Supports multiple device handling

New Improved Optica Sensor

500dpi optical fingerprint sensor

Specifications		
Sensor		
Sensor Type	Optical	
Resolution	500 PPI	
Gray Scale	256 Level	
Platen Size	16 x 18 mm	
Sensing Area	14.6 x 16.2 mm	
Image Size	288 x 320 px	
Hardware		
Interface	USB 2.0 High Speed	
Operating Temperature	-32° F to 122° F (-0° C to 50° C)	
Operating Humidity	10 - 90% RH	
Dimensions	66 x 90 x 58mm	

Software	
Windows	Windows XP, Vista, 7, 8, 8.1, 10 32/64bit
Image format	RAW, BMP, WSQ, ISO 19794-4
Certifications	F© (©

.12 Kg

Weight

Compatible with





Integra 32[™]

Most 3rd Party Access control Solutions

^{*}Specifications are subject to change without notice.





RBH Access Technologies, Inc. 2 Automatic Road, Suite 108 Brampton ON L6S 6K8, Canada

> 1-905-790-1515 1-905-790-3680

info@rbh-access.com





