



# Proximity Access Cards and KeyTags

RBH 125 kHz credentials are available in a wide range of formats other than our standard RBH 50 bit format to meet existing security applications.

# ACCESS CARDS AND TAGS



## RBH-PROX-CS-50

RBH 125 kHz Proximity clamshell cards are a proven, reliable technology widely used for access control and identification. These cards are designed to offer an extremely consistent read range, making them unaffected by body shielding or variable environmental conditions, even when placed close to keys and coins.

- Rugged white card with vertical orientation slot punch
- Universal compatibility with all RBH 125 kHz proximity card readers.
- Laser printed numbers for easy identification and control
- Accepts adhesive or laminated photo ID overlay
- RBH format with over 281 trillion unique card numbers
- Size - 85.6 x 54 x 1.8mm (3.37" x 2.25" x 0.76")

How to order: **RBH-PROX-CS-50**



## RBH-PROX-ISO-50

The 125 kHz ISO/IEC 7810 compliant proximity card features a graphics quality surface optimized for Photo ID printing, and is available in standard PVC construction for more demanding high wear and tear environments.

- Universal compatibility with all RBH 125 kHz proximity card readers.
- Laser printed numbers for easy identification and control.
- Ready for standard photo ID card printers, both sides
- Compliance: ISO/IEC 7810
- RBH format with over 281 trillion unique card numbers
- Size - 85.6 x 54 x 0.76mm (3.37" x 2.25" x 0.07")

How to order: **RBH-PROX-ISO-50**



## RBH-PROX-KT-50

These small plastic key fobs offer a practical alternative to traditional cards. Compact in size, these fobs can be easily attached to a key ring or badge reel, providing fast and easy access. They are designed to endure harsh operating environments and handling, making them durable and reliable. These key fobs combine convenience, durability, and broad compatibility to meet your access control needs.

- Suited for use in access control applications where a Photo ID is not required.
- Small enough to fit on a key ring.
- Universal compatibility with all RBH 125Khz proximity card readers.
- Laser printed numbers for easy identification and control.
- RBH format with over 281 trillion unique card numbers
- Size - 30mm x 45mm x 2.2mm (1.2" x 1.8" x 0.086")

How to order: **RBH-PROX-KT-50**

\*Specifications are subject to change without notice.



RBH Access Technologies, Inc.  
2 Automatic Road, Suite 108  
Brampton ON L6S 6K8, Canada

1-905-790-1515  
1-905-790-3680

[info@rbh-access.com](mailto:info@rbh-access.com)



[www.RBH-Access.com](http://www.RBH-Access.com)